



**THE REPUBLIC OF UGANDA**

**ADDENDUM No. 1 to**

**Bidding Document for Supply and Delivery of 185 Motorcycles**

**ICB Ref No: MOES/SUPPLS/14-15/00187**

**Project: Uganda Teacher and School Effectiveness Project (UTSEP)**

**Purchaser: Ministry of Education, Science, Technology and Sports**

**Country: UGANDA**

**ISSUED ON: 20<sup>TH</sup> JULY, 2015**

**ADDENDUM NO.1 TO THE BID DOCUMENT FOR PROCUREMENT OF 185 MOTORCYCLES;**  
**INVITATION FOR BIDS NO: MOES/SUPPLS/14-15/00187**

This Addendum No.1 to the Invitation for Bids No: MOES/SUPPLS/14-15/000187 for Procurement of 185 motorcycles under the Uganda Teacher and School Effectiveness Project is issued to amend the Technical Specifications under Section VII- Schedule of Requirements of the Bid document and extension of Bid Submission deadline.

1. Section VII- Schedule of Requirements: Part 3-Technical Specifications is hereby amended by providing a revised Part 3- Technical Specifications for the 185 motorcycles under the Invitation for Bids. This technical specification replaces the one issue earlier in its entirety.
2. ITB 22.1, The deadline for bid submission is extended to Monday 3<sup>rd</sup> August, 2015 at 3.00 p.m. (local time)

Bidders are advised to pick or download a complete addendum with revised specifications at the following address;

**The Head, Procurement and Disposal Unit,  
Ministry of Education and Sports  
Embassy House, King George VI Way  
Kampala, Uganda  
7<sup>th</sup> Floor, Room 7.2  
Tel 256 (0) 414 252 603  
Website: [www.education.go.ug](http://www.education.go.ug)**

The rest of the provisions of the Bidding Document remain unchanged, save for the provisions specifically amended by this Addendum No. 1.

**PERMANENT SECRETARY**

**PART 3. TECHNICAL SPECIFICATIONS  
REVISED SPECIFICATIONS FOR THE MOTORCYCLE**

| 1  | 2   | 3                                | 4                                |
|----|---|----------------------------------|----------------------------------|
| NO | DETAILED TECHNICAL SPECIFICATION OF MOTORCYCLE REQUIRED BY THE PROCURING ENTITY   | SPECIFICATIONS OFFERED BY BIDDER | STATEMENT OF COMPLIANCE (YES/NO) |
|    | Bidders are to offer a standard production model matching the specification below and provide original published manufacturer's technical brochures of the offer.   |                                  |                                  |
|    | <b>Motorcycle tropicalized, Air cooled, on and off road motorcycles</b>   |                                  |                                  |
| 1  | Make and model:   |                                  |                                  |
| 2  | Year of manufacture: ≥2015  |                                  |                                  |
| 3  | Country of manufacture:   |                                  |                                  |
| 4  | Air cooled petrol engine  |                                  |                                  |
| 5  | Engine: minimum 2 stroke, 1 cylinder of engine capacity: of 120 to 125cc  |                                  |                                  |
| 6  | Engine power at output rated rpm: minimum 8kW   |                                  |                                  |
| 7  | Gear box and drive train: minimum 5 speed constant mesh through roller chain  |                                  |                                  |
| 8  | Starter: Capacitor discharge Kick starter or electric or both   |                                  |                                  |
| 9  | Power output at rating rpm: min. 8kW  |                                  |                                  |
| 10 | Odometer in km/hr and tachometer  |                                  |                                  |
| 11 | Motorcycle ready to seat 2 persons  |                                  |                                  |
| 12 | Wheel base: min. 1,340mm  |                                  |                                  |
| 13 | Seat Height: min. 830mm   |                                  |                                  |
| 14 | Minimum ground clearance: min. 230mm  |                                  |                                  |
| 15 | Front suspension: telescopic fork   |                                  |                                  |
| 16 | Rear suspension: High density rear shock tube or conventional twin shock  |                                  |                                  |
| 17 | Wheels: wire spoke  |                                  |                                  |
| 18 | Front tire: off road  |                                  |                                  |
| 19 | Rear tire: off road   |                                  |                                  |
| 20 | Front brake: drum or disc   |                                  |                                  |
| 21 | Rear brake: drum or disc  |                                  |                                  |
| 22 | All legal lighting  |                                  |                                  |
| 23 | Fuel tank: 9L   |                                  |                                  |
| 24 | Frame: steel  |                                  |                                  |
| 25 | Riding kit: sets of riding gear to include crash helmet, leather gloves, and riding trouser and shirt   |                                  |                                  |
| 26 | Manufacturer recommended tool kit   |                                  |                                  |
| 27 | Published technical brochures for a standard production model offered   |                                  |                                  |
| 28 | Warranty: 6,000km or one year whichever comes first   |                                  |                                  |
| 29 | Rear carrier  |                                  |                                  |
| 30 | <b>Accessories:</b> Durable fibre glass document carrier with legs (fixed on rear carrier) <ul style="list-style-type: none"> <li>- Length: 45 – 50 cm</li> <li>- Width: 50 – 60 cm</li> <li>- Height: 50 – 60 cm</li> <li>- Must be water proof and air tight</li> </ul> |                                  |                                  |